# Floyd, VA

### **Project Summary**

As part of Virginia's State-Based Anemometer Loan Program, an anemometer was placed at the Jacksonville Center in Floyd, Virginia to assess the area's wind energy potential. Wind speed and direction were recorded from April 1, 2004 through March 31, 2005. Annual average wind speed during the monitoring period (66 ft. [20m] above ground level) was recorded to be 6.77 mph (3.03 m/s). Wind power density is calculated to be 41.15 W/m² at 20 meters.

## **Project Location**

The monitoring equipment was installed on a landfill in Floyd, Virginia at an elevation of 2,000 feet. The site is located at N 36° 54.252', W 80° 19.134'.

## **Monitoring Equipment**


The 20-meter NRG-NOW Systems – Wind Explorer kit includes one tower, one Wind Explorer data logger with shelter box, one #40 Maximum anemometer, one #200P wind direction vane, sensor cabling, one lightning rod with copper ground, and two data plugs.

#### **Results**

Average annual wind speed 6.77 mph (3.03 m/s)
Average annual wind power density 41.15 W/m²
Month with greatest wind resource December
Average wind speed during month with greatest resource 9.1 mph
Month with least wind resource August
Average wind speed during month with least resource 4.2 mph

## **Monthly Variation**

Figure 1 below shows the average monthly wind speed for each month throughout the recorded year. Above average months occur during late fall, winter, and early spring, while below average months occur during summer. It's slightly odd to have January and February significantly lower than December and March.



**Figure 1.** Monthly average wind speeds and power densities throughout the year.

#### **Diurnal Variation**

Figure 2 shows how wind speeds vary on an hourly basis. Stronger winds are more prevalent during afternoon and early evening hours. Slower winds more often exist after midnight and during sunrise.




Figure 2. Average hourly wind speeds and directions throughout the year.

# **Monthly Diurnal Variations**

Figure E.6.3 shows the diurnal (hourly) variations of the wind speed over each month. The trends of each month follow one another.




Figure E.6.3. Average hourly wind speeds for each month.

# Wind Speed Histogram

Figure E.6.4 shows the occurrence in number of hours that each wind speed occurs. Typically this falls under what is called the Weibull distribution, with a high peak early, and a tailing off at higher wind speeds.




Figure E.6.4. Wind speed frequency over the year by # of hours.

# **Wind Speed and Direction Trace**

Figure E.6.5 shows the wind speed and wind direction reading for every ten-minute average over the course of the data. The wind speed data is the blue line, and the directional data are the red lines.




Figure E.6.5. Wind speed and direction readings throughout the year.

### **Wind Daily Averages**

Figure E.6.6 shows the average wind speed and direction by day of the month. Notice there is no particular trend here.




Figure E.6.6. Wind speed and direction averages by day of the month.

# **Wind Speed Occurrence by Direction**

Figure E.6.7 displays the average wind speed for each direction the wind comes from. It also shows the percent of time in that direction bin. There is not a large discrepancy in wind speed by direction from this site; however, the highest wind speeds come from the west and the northwest.





Figure E.6.7. Average wind speed for each direction bin and % time in that bin.

### **Frequency Wind Rose**

Figure E.6.8 displays a frequency wind rose. It can be seen that the majority of the wind does not come from any one direction; rather a portion comes from the west and a portion from the northwest.




**Figure E.6.8.** Wind rose displaying wind direction frequency.

# **Energy Rose**

Figure E.6.9 is an energy wind rose, showing the number of kWh/m<sup>2</sup> available from 16 compass-point directions. The largest portion of energy comes from the west-northwest. This is due to the combination of a high frequency of occurrence of these winds along with high wind speeds.

# **Energy by Direction**



**Figure E.6.9.** Energy wind rose with units in kWh/m<sup>2</sup>.